Data sheet No. MSJ-0378-01

1. chemical article name and the manufactures

Product name: Eradi-Lite

Manufacturers : Kanbo Pras Corporation

Address(headquarters) : Kanbo Blg., 1-6-9 Bakuro-machi, Chuo-ku, Osaka, Japan

Address (offce) : 1-1-48, Miyuki-cho, Sabae-shi, Fukui, Japan

Department in the

charge of this : Quality Control Department

Tel : 0778-51-6113 Fax : 0778-51-6375

Emergency call : 0778-51-6113

2. composition & components

sold or mixed article : mixed

chemical name or so-calle: Polyester fibers + Polyvinyl Chloride resin

components & composition: polyester 13.0 - 20.0%,

PVC product 80 - 87% (PVC plasticizer stabilizer etc.)

3. hazardous/toxic contents

most dangerous stuff : not contained

specific harmful stuff by burning or heat resolution, harmful gas it broken out. The main components of gas

is HCL,CO,CO2.

influence to environment : not seen

chemical analysis : not applicable.

4. emergency treatment

if the gas got into eyes : do not rub, but wash eyes for about 15 min. See a doctor if necessary.

if stuck on skin : wash off with a lot of water with soap. If hurt or bad appearance, see a doctor.

if plenty breathed in : see a doctor.

if swallowed : see a doctor.

5. on fire

fire extinguish stuff water, dry-chemical, carbon gas, bubbles, etc.

fire extinguish method : take fire-exinguish actions by using above stuff from the windward.

protection of extinguishers: essential to put on protection goods such as airbreather,unti-heat wears.

specific danger harmful gas breaks out by burning or heat resolution. The main components are

HCL,CO and CO2.

6. treatment if leaked or abandoned

for human body

: nothing in particular

for environment

: not to abandon in rivers and as such

collection method

: collect scattered pieces into a suitable container

7. how to handle & store

handling (technical countermeasures & check points)

- : no fire around handling area, and clear objects to cause electric-static or shock spark.
- at heat-welding rooms, ventilation is necessary as smoke by welding may cause uncomfortable breathing.
- do not put the material directly into mouth.
- : be careful of electro-static shock or disturbance.
- use it in a normal temperature whenever possible. high temperature might cause shrinkage and shape deterioration and low temperature might cause hardening and breakage by shock.
- when transported or stored, the piled up rolls or materials might collapse and fall down, for which necessary precaution is to be taken.
- PVC layer contains plasticizer , and when other PVC films are directly touched, it may cause plasticizer 's migration.

storing (technical countermeasures & conditions)

: avoid direct sunshine, getting wet, drastic temperature changes, fire causes.

storing (packing materials)

: paper,PE,etc.

8. prevention of dew drops and countermeasures

density control

: no regulation

density allowance

: no regulation

countermeasures

no necessary

protection goods

no necessary

9. physical & chemical characters

physical condition

solid

shape

: in sheet shape(PVC film on top)

colour

: as ordered by buyer

smell

nearly nil

specific gravity

: 1.4 (by data of PVC resin)

melting point

: nil (about 190 C by PVC resin data)

melting by water

nil

10. stability & reaction

stability

stable under normal conditions

reaction

: no data

dangerous/hazardous

resolution components

burning or heat resolution cause outbreak of bad gas, of which main components are

HCL, CO & CO2.

11. information for harmful elements

acute poison

: not found

stimulus

: not found

12. influence on environments

: not found

13. remarks for abandoning

harmful gas comes out when burnt. It will stimulate eyes and mucous membranes. Burn it at proper burning facilities with gas treatment device.

when abandoned and buried, follow the related laws and regulations.

: if licensed companies or local government are doing it, it can be done by them.

14. remarks for transporting

: no special remarks, but follow the above article 7.

15. applicable laws

- fire law---some local regulation classify this as flammable. If so, follow the law.
- dumping law • this article is classified as plastic.

16. other information

The above contents are based on up-to-date available data, information, and as to physical and chemical

- characters, and hazardousness, we can not make any guarantee. Also, handling instruction are based on normal
 conditions, and for unusual usage and handling, take your necessary countermeasures.
- Referred books 1 Safety data for chemical stuff (MSDS)-section 1 JIS···by JIS Association(2000)
 - 2 Guidance to product safety data sheet by Japan Chemical Industrial association (1992)