

• UL LISTED FOR WET LOCATIONS

Finishes:

Architectural Bronze - ABR
Galvanized - GA
Satin Black - SB
Satin Green - SG
Satin Red - SR
White - WH

Galvanized finishes
may be inconsistent



RAS10-ABR
Shade Only.
Shown with optional
RGN15-ABR Goose Neck



RAS10-GA
Shade Only.
Shown with optional
RGN15-GA Goose Neck



RAS10-SR
Shade Only.
Shown with optional
RGN15-SR Goose Neck



RAS10-SB
Shade Only.
Shown with optional
RGN15-SB Goose Neck



RAS10-SG
Shade Only.
Shown with optional
RGN15-SG Goose Neck
and RWG10-SG Wire Guard



RAS10-WH
Shade Only.
Shown with optional
RGN15-WH Goose Neck

10" ANGLE SHADES



RAS10-ABR
RAS10-GA
RAS10-SB
RAS10-SG
RAS10-SR
RAS10-WH

W: 10" H: 11"
Wire: 100"
Med. 200W A21

R SERIES

• UL LISTED FOR WET LOCATIONS

Finishes:

Architectural Bronze - ABR
Galvanized - GA
Satin Black - SB
Satin Green - SG
Satin Red - SR
White - WH



RAS12-SG

Shade Only.
Shown with optional
RGN15-SG Goose Neck



RAS12-SR

Shade Only.
Shown with optional
RGN15-SR Goose Neck



RAS12-WH

Shade Only.
Shown with optional
RGN15-WH Goose Neck



RAS12-ABR


Shade Only.
Shown with optional
RGN15-ABR Goose Neck
and RWG12-ABR
Wire Guard



RAS12-SB

Shade Only.
Shown with optional
RGN15-SB Goose Neck

12" ANGLE SHADES



RAS12-ABR
RAS12-GA
RAS12-SB
RAS12-SG
RAS12-SR
RAS12-WH

W: 12" H: 12 1/2"
Wire: 100"
Med. 200W A21



Galvanized finishes
may be inconsistent

RAS12-GA

Shade Only.
Shown with optional
RGN15-GA Goose Neck
and RWG12-GA Wire Guard

R SERIES

10" ANGLE SHADES


EASY TO ORDER:

1. Choose a Shade
2. Choose a Goose Neck for Wall Mount
3. Wire Guard Optional




Back Plate
included
with goose
neck

GOOSE NECKS



WIRE GUARDS



RWG10

RWG10-ABR
RWG10-GA
RWG10-SB

RWG10-SG
RWG10-SR
RWG10-WH

W: 10"


SPECIAL APPLICATION ACCESSORIES



Required for stem hung ceiling applications where slope angle is greater than 25°.

Finishes:
Architectural Bronze - ABR
Copper - CP
Galvanized - GA
Satin Black - SB
Satin Green - SG
Satin Red - SR
White - WH


STEEP SLOPE CANOPY KITS (45° MAX)



RSCKSS-ABR
RSCKSS-CP
RSCKSS-GA
RSCKSS-SB
RSCKSS-SG
RSCKSS-SR
RSCKSS-WH

W: 5 1/4"
H: 2"

STEM CONNECTORS



Accepts 3/4" stem.

RC-ABR
RC-CP
RC-GA
RC-SB
RC-SG
RC-SR
RC-WH

ID: 1" W: 1 1/4"
L: 1 1/2"


Required to couple stems for lengths exceeding 36".

Use of RC connectors or RSW Swivels in outdoor applications may require pipe sealant or plumber's putty. Please refer to local codes.




Use of RC connectors or RSW Swivels in outdoor applications may require pipe sealant or plumber's putty. Please refer to local codes.

WALL MOUNT SWIVELS



RSW-ABR
RSW-CP
RSW-GA
RSW-SB
RSW-SG
RSW-SR
RSW-WH

W: 2"
H: 3 1/2"



R SERIES