

Q-COLR CC 3022 - Violet 22

MSDS Number: C00012

Revision Date: 6/11/2015

Page 1 of 5

PRODUCT AND COMPANY IDENTIFICATION

SDS

Manufacturer

Quill Hair & Ferrule LTD 1 Greengate Park Rd. P.O. Box 23927 Columbia, SC 29224

Contact: Phone:	Deborah Millar 1-803-788-4499
Fax:	1-803-736-4731
Email:	dmillar@paint-info.com
Web:	www.qhfonline.com

Q-COLR CC 3022 - Violet 22 Product Name: **Revision Date:** 6/11/2015 **MSDS Number:** C00012 Common Name: **Pigment preparation** Chemical Formula: **Complex Mixture Product Use:** Pigment preparation

24 Hours Emergency Number 1-800-451-8346

2	HAZARDS IDENTIFICATION
Route of Entry:	Eyes; Ingestion; Inhalation; Skin
Target Organs:	Eyes; Skin; Respiratory system; Cental nervous system; Hematopoietic system; Blood; Kidneys; Liver; Lymphiod system
Inhalation:	Anesthetic, may cause repiratory irritation and cns depression. Can cause irritation and inflammation of the respiratory tract. Minimal respiratory tract irritation may occur with exposure to a large amount of material.
Skin Contact:	May cause irritation, tearing and redness.
Eye Contact:	May cause irritation.
Ingestion:	Aspiration hazard: Harmful or fatal if swallowed.

NFPA: HMIS III:



Health = 2, Fire = 3, Reactivity = 0H*2/F3/PH0



PERSONAL PROTECTION INDEX											
А	5	2			G	1 98	🗲 + 😽	6			
в	1	x + 🗲			Н	G+	🗲 + 🍟	🗲 + 🔺 + 🐝			
С		x + 🗲	+ 🃲			1 88	🗲 + 🔆	6			
D) 😥 + 🖛 + 🛉			J	ل تا+	🗲 + 🕇	+ 🐝				
Ε	E 🕫 + 🛋 + 🤯			Κ	% +	€ +1)	`+ I ⊾				
F	D C	x + 🕊	+ 📥 +	8	Х	or S.O.F	your supervis for "SPECIAL" g directions	or			
A Safety Glasses	æ	n Splash Goggles	Face Shield & Eye Protection	p Glove	*	9	Synthetic				
t Dust Respirat	ar ar	U Sepor Reapirator	W Solution	y Fut Fa Respin		Z Airline Hood or Mask	Additional Info	rmation			



Q-COLR CC 3022 - Violet 22

SDS

MSDS Number: C00012

Revision Date: 6/11/2015 Page 2 of 5

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Classifications:

- Physical, Flammable Liquids, 3 Health, Aspiration hazard, 1
- Health, Acute toxicity, 5 Dermal
- Health, Specific target organ toxicity Single exposure, 3
- Health, Specific target organ toxicity Repeated exposure, 2

GHS Phrases:

- H226 Flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H313 May be harmful in contact with skin
- H336 May cause drowsiness or dizziness
- H373 May cause damage to organs through prolonged or repeated exposure

GHS Precautionary Statements:

- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P332+313 If skin irritation occurs: Get medical advice/attention.
- P370+378 In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	AC	CGIH TLV (PPM)		HA PEL (PPM)
110-43-0 100-41-4	40-60% 0.1-1%	Methyl N-Amyl Ketone Ethyl Benzene		100 100		100 100

4	FIRST AID MEASURES				
1.1.1.2.					

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. Promptly flush skin with water until all chemical is removed. Get medical attention if needed. Skin Contact:



Q-COLR CC 3022 - Violet 22

MSDS Number: C00012

Revision Date: 6/11/2015

Page 3 of 5

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.

Ingestion: Seek immediate medical attention. Do not induce vomiting. Do not give anything to drink.

SDS

FIRE FIGHTING MEASURES

Flammability:	Combustible II (estimated)
Flash Point:	102 Degrees F
Flash Point Method:	Closed Cup

Dry powder, water spray, dry chemical, carbon dioxide, alcohol foam. Do not use a solid stream of water since the stream will scatter and spread the fire. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak and disperse vapors. Emits Toxic Fumes under fire conditions.

ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-Sparking tools and equipment. Absorb spill with inert material, then place in chemical waste container. Remove/Dispose of in a manner consistent with federal and local law. Do not use combustible materials, such as saw dust. Do not flush to sewer, If a leak or spill has not ignited, use water spray to disperse the vapors, to protect attempting to stop leak and to flush spills away from exposures.

7	HANDLING AND STORAGE
Handling Precautions: Storage Requirements:	Protect against physical damage. Store in a cool dry well ventilated area. Keep away from heat and flame. Do not get in eyes, on skin, or on clothing. Protect against physical damage. Outside or detached storage is preferred. Seperate from oxidizing materials. Containers should be bonded and grounded from transfers to avoid static sparks.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls: Personal Protective Eq	

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Physical State: Spec Grav./Density: **Boiling Point:**

Liquid Paste Liquid 0.98 304.7 Degrees F (estimated)

the product.

Odor: Solubility: **Percent Volatile:** Flash Point:

Storage and use areas should be No smoking areas. Containers of the material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for

> Mild Camphor-like N/A N/A 102 F



Q-COLR CC 3022 - Violet 22

MSDS Number: C00012

Revision Date: 6/11/2015

VOC:

Page 4 of 5 420 GRAMS/LITER 3.50 LBS/GL

STABILITY AND REACTIVITY

SDS

Stability: **Conditions to Avoid:** Materials to Avoid: Hazardous Decomposition: Hazardous Polymerization:

Product is stable under normal conditions. Oxidation promoting conditions (Heat, Sunlight and Air). Strong Acids Carbon dioxide, oxides of nitrogen, carbon monoxide Will not occur.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY				
Ingredient Name	Test	Results	Route	Species
Methyl Amyl	LD 50	1600 mg/kg	Oral	Rat
Ketone	LC 50	3000 ppm/four hours	Inhalation	Rat
	LD 50	12.6 ml/kg	Dermal	Rabbit
Ethyl Benzene	LD 50	3500 mg/kg	Oral	Rat
	LC 50	64000 ppm/four hours	Inhalation	Rat
	LD 50	15800 mg/kg	Dermal	Rabbit

12	ECOLOGICAL INFORMATION

Enviromental Fate: When released into the soil, this material is not expected to evaporate significantly. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released into water, this material is not expected to evaporate significantly. When released into water, this material may biodegrade to a moderate extent. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals, When released into the air, this material is expected to have the half-life of less than one day.



Q-COLR CC 3022 - Violet 22

MSDS Number: C00012

Revision Date: 6/11/2015

Page 5 of 5

DISPOSAL CONSIDERATIONS

SDS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

DOT:Paint, 3, UN1263, PG III

IATA:Paint, 3, UN1263, PG III

MULTI-MODAL: Paint, 3, UN1263, PG III





COMPONENT / (CAS/PERC) / CODES

*Methyl N-Amyl Ketone (110-43-0 40-60%) MASS, OSHAWAC, PA, TSCA, TXAIR *Ethyl Benzene (100-41-4 0.1-1%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, SARA313, TOXICPOL, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List) TSCA = Toxic Substances Control Act TXHWL = TX Hazardous Waste List

16	OTHER INFORMATION

Quill Hair & Ferrule LTD believes that the data contained herein is accurate and derived from qualified sources. The data is not to be taken as a warranty or representation for which Quill Hair & Ferrule LTD assumes legal responsibility. It is offered solely for your consideration, investigation, and verification. Any use of this data and information should be determined by the end user in accordance with Federal, State and local laws and regulations.