

Q-SOLV CD 4402 PLASTIC CLEANER

MSDS Number: S0008

Revision Date: 4/22/2015

Page 1 of 5

PRODUCT AND COMPANY IDENTIFICATION

SDS

Manufacturer

Quill Hair & Ferrule LTD 1 Greengate Park Rd. P.O. Box 23927 Columbia, SC 29224

Contact:	Deborah Millar
Phone:	1-803-788-4499
Fax:	1-803-736-4731
Email:	dmillar@paint-info.com
Web:	www.qhfonline.com

Product Name:	Q-SOLV CD 4402 PLASTIC CLEANER
Revision Date:	4/22/2015
MSDS Number:	S0008
Common Name:	Paint Related Material
Product Code:	QSOLVCD4402
Chemical Formula:	Complex Mixture
Product Use:	Paint Related Material

24 Hours Emergency Number 1-800-451-8346

2	HAZARDS IDENTIFICATION
Route of Entry:	Eyes; Ingestion; Inhalation; Skin
Target Organs:	Eyes; Skin; Respiratory system; Central nervous system; Hematopoietic system; Blood; Kidneys; Liver; Lymphoid system
Inhalation:	Anesthetic, may cause respiratory irritation and cns depression. Can cause irritation and inflammation of the respiratory tract. Minimal respiratory tract irritation may occur with exposure to a large amount of material.
Skin Contact:	May cause irritation, tearing and redness.
Eye Contact:	May cause irritation.
Ingestion:	Aspiration hazard: Harmful or fatal if swallowed.

NFPA: HMIS III:



Health = 2, Fire = 3, Reactivity = 0H*2/F3/PH0



	PERSONAL PROTECTION INDEX					
А	Ø	G	ØQ + € + ¥ø			
в	Ø + 🕊	H	[] + ➡ + 🛔 + 💥			
С	⁄∞ + 🛋 + 📲]	ØQ + 🕊 + 💥			
D	📴 + 🕊 + 📥	J	☞+ 🖛 + 🖌 + 🐝			
Ε	🕫 + 🗲 + 🐼	Κ	🖏 + 🗲 + 🏌 + 👢			
F	F ∞ + ← + + + ↔ X Consult your supervisor or S.O.P. for "SPECIAL" handling directions					
A Safety Glasses	Splash Goggles Face Shield & Giovi	*	Boots Synthetic Suit			
t Dust Respirat	Wapor W Stapor J		Z Additional Information			



Q-SOLV CD 4402 PLASTIC CLEANER

SDS

MSDS Number: S0008

Revision Date: 4/22/2015

Page 2 of 5

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Classifications:

- Health, Specific target organ toxicity Repeated exposure, 2
- Health, Specific target organ toxicity Single exposure, 3
- Health, Acute toxicity, 5 Dermal
- Health, Aspiration hazard, 1

Physical, Flammable Liquids, 3

GHS Phrases:

- H373 May cause damage to organs through prolonged or repeated exposure
- H336 May cause drowsiness or dizziness
- H313 May be harmful in contact with skin
- H304 May be fatal if swallowed and enters airways
- H226 Flammable liquid and vapor

GHS Precautionary Statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P202 Do not handle until all safety precautions have been read and understood.
- P270 Do not eat, drink or smoke when using this product.
- P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 - P312 Call a POISON CENTER or doctor/physician if you feel unwell.
 - P332+313 If skin irritation occurs: Get medical advice/attention.
 - P370+378 In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	ACGIH TLV (PPM)	OSHA PEL (PPM)
67-63-0	100%	Isopropanol	200	400

FIRST AID MEASURES Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. **Skin Contact:** Promptly flush skin with water until all chemical is removed. Get medical attention if needed. Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate



Q-SOLV CD 4402 PLASTIC CLEANER

MSDS Number: S0008

Revision Date: 4/22/2015 Page 3 of

Ingestion:

irrigation. Get immediate medical attention.

SDS

Get prompt, qualified medical attention. Seek immediate medical attention DO NOT Induce vomiting.

FIRE FIGHTING MEASURES

Flammability:	NFPA Class 1B flammable liquid
Flash Point:	54 DEGREES F
Autoignition Temp:	852 DEGREES F
LEL:	2.5 %
UEL:	12.0 %

Dry powder, water spray, dry chemical, carbon dioxide, alcohol foam. Do not use a solid stream of water since the stream will scatter and spread the fire. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak and disperse vapors.

6	ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use nonsparking tools and equipment. Absorb spill with inert material, then place in chemical waste container. Remove/Dispose of in a manner consistent with federal and local law. Do not use combustible materials, such as saw dust. Do not flush to sewer. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak and to flush spills away from exposures.

7	HANDLING AND STORAGE

Handling Precautions: Protect against physical damage. Storage Requirements: Store in a cool dry well ventilated area. Keep away from heat and flame. Do not get in eyes, on skin, or on clothing. Protect against physical damage. Outside or detached storage is preferred. Seperate from oxidizing materials. Containers should be bonded and grounded from transfers to avoid static sparks. Storage and use areas should be No Smoking areas. Containers of the material may be hazardous when empty since they retain product residues (vapors,liquid); observe all warnings and precautions listed for the product.

8	8 EXPOSURE CONTROLS/PERSONAL PROTECTION		
Engineering Controls: Personal Protective Ec			

9	PHYSICAL AND CHEMICAL PROPERTIES			
Appearance: Physical State: Spec Grav./Density:	Colorless liquid. Liquid .79	Odor: Solubility:	Alcohol odor Miscible 100%	



Revision Date: 4/22/2015

Page 4 of 5

Q-SOLV CD 4402 PLASTIC CLEANER

MSDS Number: S0008

Boiling Point:
Vapor Pressure:
pH:

180F 3.3 mm/Hg @ 20 C N/A

Percent Volatile: Freezing/Melting Pt.: Flash Point: Vapor Density: VOC:

100% -128F 54 2.1 792 GRAMS/LITER 6.6 LBS/GL

STABILITY AND REACTIVITY

Stability: **Conditions to Avoid:** Materials to Avoid: Hazardous Decomposition: Hazardous Polymerization: Will not occur.

Product is stable under normal conditions. Oxidation promoting conditions (Heat, Sunlight and Air), and High temperature Strong Oxidizing Agents, Aluminum metal, Nitroform, Oleaum Oxides of carbon

TOXICOLOGICAL INFORMATION

SDS

ACUTE TOXICITY				
Ingredient Name	Test	Results	Route	Species
Isopropanol	LD 50	> 2000 mg/kg	Oral	Rat
	LC 50	> 5000 ppm / one hour	Inhalation	Rat
	LD 50	> 2000 mg/kg	Dermal	Rabbit

ECOLOGICAL INFORMATION

Enviromental Fate: When released into the soil, this material is not expected to evaporate significantly. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released into water, this material is not expected to evaporate significantly. When released into water, this material may biodegrade to a moderate extent. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released that the air, this material is expected to have the half-life of less than one day.

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14	TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

DOT: Isopropanol, 3, UN1219, PG II

IATA: Isopropanol, 3, UN1219, PG II



Q-SOLV CD 4402 PLASTIC CLEANER

MSDS Number: S0008

Revision Date: 4/22/2015 Page 5 of 5

MULTI-MODAL: Isopropanol, 3, UN1219, PG II



REGULATORY INFORMATION

SDS

COMPONENT / (CAS/PERC) / CODES

*Isopropanol alcohol (67-63-0 100%) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level NJHS = NJ Right-to-Know Hazardous Substances NRC = Nationally Recognized Carcinogens SARA313 = SARA 313 Title III Toxic Chemicals

OTHER INFORMATION

Quill Hair & Ferrule LTD believes that the data contained herein is accurate and derived from gualified sources. The data is not to be taken as a warranty or representation for which Quill Hair & Ferrule LTD assumes legal responsibility. It is offered solely for your consideration, investigation, and verification. Any use of this data and information should be determined by the end user in accordance with Federal, State and local laws and regulations.