



# SDS

## GHS Safety Data Sheet

Quill Hair & Ferrule LTD

MSDS Number: S0001

### Q-SOLV CD 4408 REDUCER

Revision Date: 4/21/2015

Page 1 of 5

## 1 PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Quill Hair & Ferrule LTD  
1 Greengate Park Rd.  
P.O. Box 23927  
Columbia, SC 29224

**Contact:** Deborah Millar  
**Phone:** 1-803-788-4499  
**Fax:** 1-803-736-4731  
**Email:** dmillar@paint-info.com  
**Web:** www.qhfonline.com

**Product Name:** Q-SOLV CD 4408 REDUCER  
**Revision Date:** 4/21/2015  
**MSDS Number:** S0001  
**Common Name:** Paint Reducer  
**Product Code:** QSOLVCD4408  
**Chemical Formula:** Complex Mixture  
**Product Use:** Paint Solvent

**24 Hours Emergency Number 1-800-451-8346**

## 2 HAZARDS IDENTIFICATION

**Route of Entry:** Eyes; Ingestion; Inhalation; Skin

**Target Organs:** Eyes; Skin; Respiratory system; Central nervous system; Hematopoietic system; Blood; Kidneys; Liver; Lymphoid system

**Inhalation:** Anesthetic, may cause respiratory irritation and CNS depression. Can cause irritation and inflammation of the respiratory tract. Minimal respiratory tract irritation may occur with exposure to a large amount of material.


**Skin Contact:** May cause irritation, tearing and redness.

**Eye Contact:** May cause irritation.

**Ingestion:** Aspiration hazard: Harmful or fatal if swallowed.

NFPA:  
HMIS III:

Health = 2, Fire = 3, Reactivity = 0  
H\*2/F3/PH0



HMIS III	
HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARDS	0
PERSONAL PROTECTION K   Full Face Respirator, Gloves, Full Suit, Boots	

PERSONAL PROTECTION INDEX									
A	Goggles	G	Goggles + Gloves + Boots	B	Goggles + Gloves	H	Goggles + Gloves + Boots + Full Suit	C	Goggles + Gloves + Boots
D	Goggles + Gloves + Boots	I	Goggles + Gloves + Boots + Full Suit	E	Goggles + Gloves + Boots + Full Suit	J	Goggles + Gloves + Boots + Full Suit	F	Goggles + Gloves + Boots + Full Suit
F	Goggles + Gloves + Boots + Full Suit	K	Goggles + Gloves + Boots + Full Suit	X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions				
A	Safety Glasses	n	Splash Goggles	O	Face Shield & Eye Protection	p	Gloves	q	Boots
t	Dust Respirator	U	Vapor Respirator	w	Dust & Vapor Respirator	Y	Full Face Respirator	Z	Airline Hood or Mask
r	Synthetic Apron	S	Full Suit	Additional Information					



# SDS

## GHS Safety Data Sheet

Quill Hair & Ferrule LTD

### Q-SOLV CD 4408 REDUCER

MSDS Number: S0001

Revision Date: 4/21/2015

Page 2 of 5

GHS Signal Word:

DANGER

GHS Hazard Pictograms:



GHS Classifications:

Physical, Flammable Liquids, 3  
Health, Aspiration hazard, 1  
Health, Acute toxicity, 5 Dermal  
Health, Specific target organ toxicity - Single exposure, 3  
Health, Specific target organ toxicity - Repeated exposure, 2

GHS Phrases:

H226 - Flammable liquid and vapor  
H304 - May be fatal if swallowed and enters airways  
H313 - May be harmful in contact with skin  
H336 - May cause drowsiness or dizziness  
H373 - May cause damage to organs through prolonged or repeated exposure

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P233 - Keep container tightly closed.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P271 - Use only outdoors or in a well-ventilated area.  
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P370+378 - In case of fire: Use dry sand, dry chemical, or alcohol resistant foam for extinction.  
P202 - Do not handle until all safety precautions have been read and understood.  
P270 - Do not eat, drink or smoke when using this product.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P332+313 - If skin irritation occurs: Get medical advice/attention.

3

### COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	ACGIH TLV (PPM)	OSHA PEL (PPM)
67-64-1	99-100%	Acetone	500	1000

4

### FIRST AID MEASURES

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.  
**Skin Contact:** Promptly flush skin with water until all chemical is removed. Get medical attention if needed.  
**Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate



# SDS

## GHS Safety Data Sheet

Quill Hair & Ferrule LTD

### Q-SOLV CD 4408 REDUCER

MSDS Number: S0001

Revision Date: 4/21/2015

Page 3 of 5

irrigation. Get immediate medical attention.

**Ingestion:** Get prompt, qualified medical attention. Seek immediate medical attention. Induce vomiting

5

#### FIRE FIGHTING MEASURES

**Flammability:** NFPA Class 1B flammable liquid  
**Flash Point:** 2 DEGREES F  
**Autoignition Temp:** 869 DEGREES F  
**LEL:** 2.5%  
**UEL:** 12.8%

Dry powder, water spray, dry chemical, carbon dioxide, alcohol foam. Do not use a solid stream of water since the stream will scatter and spread the fire. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak and disperse vapors.

6

#### ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Absorb spill with inert material, then place in chemical waste container. Remove/Dispose of in a manner consistent with federal and local law. Do not use combustible materials, such as saw dust. Do not flush to sewer. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect attempting to stop leak and to flush spills away from exposures.

7

#### HANDLING AND STORAGE

**Handling Precautions:** Protect against physical damage  
**Storage Requirements:** Store in a cool dry well ventilated area. Keep away from heat and flame. Do not get in eyes, on skin, or on clothing. Protect against physical damage. Outside or detached storage is preferred. Separate from oxidizing materials. Containers should be bonded and grounded from transfers to avoid static sparks. Storage and use areas should be No Smoking areas. Containers of the material may be hazardous when empty since they retain product residues (vapors,liquid); observe all warnings and precautions listed for the product.

8

#### EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** N/A  
**Personal Protective Equip:** HMIS PP, K | Properly fitted air purifying or air-fed respirator, glove, suit, and boots. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. QHF recommends the use of a fresh air supply respirator.

9

#### PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Colorless liquid	<b>Odor:</b>	Fragrant, Mint- Like
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Miscible
<b>Spec Grav./Density:</b>	.79		



# SDS

## GHS Safety Data Sheet

Quill Hair & Ferrule LTD

### Q-SOLV CD 4408 REDUCER

MSDS Number: S0001

Revision Date: 4/21/2015

Page 4 of 5

**Boiling Point:** 133 F  
**Vapor Pressure:** 400 mmHg @ 104 F  
**pH:** N/A  
**Evap. Rate:** N/A

**Percent Volatile:** 100%  
**Freezing/Melting Pt.:** N/A  
**Flash Point:** 2 F  
**Vapor Density:** 2.0  
**VOC:** 0 GRAMS/LITER 0 LBS/GL

10

#### STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.  
**Conditions to Avoid:** Oxidation promoting conditions ( Heat, Sunlight and Air).  
**Materials to Avoid:** Strong Acids  
**Hazardous Decomposition:** Carbon dioxide, oxides of nitrogen, carbon monoxide  
**Hazardous Polymerization:** Will not occur.

11

#### TOXICOLOGICAL INFORMATION

ACUTE TOXICITY				
Ingredient Name	Test	Results	Route	Species
Acetone	LD 50	5800 mm/kg	Oral	Rat
	LC 50	100 mg/m3	Inhalation	Rat
	LD 50	20 g/kg	Dermal	Rabbit

12

#### ECOLOGICAL INFORMATION

Environmental Fate: When released into the soil, this material is not expected to evaporate significantly. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released into water, this material is not expected to evaporate significantly. When released into water, this material may biodegrade to a moderate extent. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals, When released into the air, this material is expected to have the half-life of less than one day.

13

#### DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14

#### TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

DOT:Paint Related Material, 3, UN1263, PG II

IATA:Paint Related Material, 3, UN1263, PG II



# SDS

## GHS Safety Data Sheet

Quill Hair & Ferrule LTD

### Q-SOLV CD 4408 REDUCER

MSDS Number: S0001

Revision Date: 4/21/2015

Page 5 of 5

MULTI-MODAL: Paint Related Material, 3, UN1263, PG II



15

#### REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

\*Acetone (67-64-1 99-100%) CERCLA, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance  
MASS = MA Massachusetts Hazardous Substances List  
NJHS = NJ Right-to-Know Hazardous Substances  
OSHAWAC = OSHA workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
TXHWL = TX Hazardous Waste List

16

#### OTHER INFORMATION

Quill Hair & Ferrule LTD believes that the data contained herein is accurate and derived from qualified sources. The data is not to be taken as a warranty or representation for which Quill Hair & Ferrule LTD assumes legal responsibility. It is offered solely for your consideration, investigation, and verification. Any use of this data and information should be determined by the end user in accordance with Federal, State and local laws and regulations.