



GHS Safety Data Sheet Quill Hair & Ferrule LTD

Q-SOLV CD 4412 REDUCER

MSDS Number: S0017 Revision Date: 4/22/2015

Page 1 **of** 5

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Quill Hair & Ferrule LTD 1 Greengate Park Rd. P.O. Box 23927 Columbia, SC 29224

Contact: Deborah Millar Phone: 1-803-788-4499 Fax: 1-803-736-4731 Email: dmillar@paint-info.com Web: www.ghfonline.com

Product Name: Q-SOLV CD 4412 REDUCER

Revision Date: 4/22/2015 **MSDS Number:** S0017

Common Name: Paint Reducer **Product Code:** QSOLVCD4412 **Chemical Formula:** Complex Mixture **Product Use:** Paint Solvent

24 Hours Emergency Number 1-800-451-8346

HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin;

Eyes; Skin; Respiratory system; Cental nervous system; Hematopoietic system; Blood; Kidneys; Liver; Lymphiod **Target Organs:**

system

Inhalation: Anesthetic, may cause repiratory irritation and cns depression. Can cause irritation and inflammation of the respiratory

tract Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Skin Contact: May cause irritation, tearing and redness.

Eye Contact: May cause irritation.

Ingestion: Aspiration hazard: Harmful or fatal if swallowed.

NFPA: HMIS III:



Health = 0, Fire = 2, Reactivity = 0H0/F2/PH0



PERSONAL PROTECTION INDEX								
Α	ØØ	G	Ø⊠ + ■ + ¾					
В	Ø ⊠ + ■ €	Н	□ + = + 1 + *					
С	Ø Ø + ■ + Å	I	ØQ+ =€+ ₩					
D	<u>@</u> + = + 	J	□ + = + 1 + *					
E	ØØ + ■ + ②	K	∰ + + 1 + L					
F ∞ + + + + + 			Consult your supervisor or S.O.P. for "SPECIAL" handling directions					
A Safety Glasses	Splash Goggles Splash Goggles Splash Face Shield & Bye Protection Glove	#	G C Synthelic Suit Suit					
t Dust Respira	Vapor Respirator Respirator Respirator		Additional Information					





GHS Safety Data Sheet Quill Hair & Ferrule LTD

Q-SOLV CD 4412 REDUCER

MSDS Number: S0017 Revision Date: 4/22/2015

Page 2 of 5

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:







GHS Classifications:

Physical, Flammable Liquids, 3 Health, Aspiration hazard, 1 Health, Acute toxicity, 5 Dermal

Health, Specific target organ toxicity - Single exposure, 3 Health, Specific target organ toxicity - Repeated exposure, 2

GHS Phrases:

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H313 - May be harmful in contact with skin

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P370+378 - In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction.

P202 - Do not handle until all safety precautions have been read and understood.

P233 - Keep container tightly closed.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P332+313 - If skin irritation occurs: Get medical advice/attention.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	ACGIH TLV (PPM)	OSHA PEL (PPM)
8052-41-3	100%	Stoddard solvent	100ppm	100ppm

FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. **Skin Contact:** Promptly flush skin with water until all chemical is removed. Get medical attention if needed.

Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate **Eye Contact:**



SDS

GHS Safety Data Sheet Quill Hair & Ferrule LTD

Q-SOLV CD 4412 REDUCER

MSDS Number: S0017 Revision Date: 4/22/2015

Page 3 of 5

irrigation. Get immediate medical attention.

Ingestion: Seek immediate medical attention.

FIRE FIGHTING MEASURES

Flammability: NFPA Class 1C flammable liquid

Flash Point: 139 DEGREES F **Autoignition Temp:** 446 DEGREES F

LEL: .5% **UEL:** 6.0%

Dry powder, water spray, dry chemical, carbon dioxide, alcohol foam. Do not use a solid stream of water since the stream will scatter and spread the fire. Water spray may be used to keep fire exposed containers cool, dilute spills to nonflammable mixtures, protect personnel attempting to stop leak and disperse vapors.

ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use nonsparking tools and equipment. Absorb spill with inert material, then place in chemical waste container. Remove/Dispose of in a manner consistent with federal and local law. Do not use combustible materials, such as saw dust. Do not flush to sewer. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect attempting to stop leak and to flush spills away from exposures.

HANDLING AND STORAGE

Handling Precautions: Protect against physical damage.

Storage Requirements: Store in a cool dry well ventilated area. Keep away from heat and flame. Do not get in eyes, on skin, or

on clothing. Protect against physical damage. Outside or detached storage is preferred. Seperate from oxidizing materials. Containers should be bonded and grounded from transfers to avoid static sparks. Storage and use areas should be No Smoking areas. Containers of the material may be hazardous when empty since they retain product residues (vapors,liquid); observe all warnings and precautions

listed for the product.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Personal Protective Equip: HMIS PP, K | Properly fitted air purifying or air-fed respirator, glove, suit, and boots.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. QHF

recommends the use of a fresh air supply respirator.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Physical State: Clear Liquid Odor: Hydrocarbon Odor

Spec Grav./Density: Solubility: Negligible .79





GHS Safety Data Sheet Quill Hair & Ferrule LTD

Q-SOLV CD 4412 REDUCER

MSDS Number: S0017 Revision Date: 4/22/2015

Page 4 of 5

Boiling Point: 400 DEGREES F Vapor Pressure: 2.1 mmHg @ 68 F

Slower than Butyl Alcohol Evap. Rate:

Percent Volatile: 100%

Freezing/Melting Pt.: -85 DEGREES F

Flash Point: 139 F Vapor Density: 4.7

VOC: 793 GRAMS/LITER 6.60 LBS/GL

STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Acids

Hazardous Decomposition: Carbon dioxide, oxides of nitrogen, carbon monoxide

Hazardous Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY				
Ingredient Name	Test	Results	Route	Species
Stoddard Solvent	LD 50	>2000 mg/kg	Oral	Rat
	LC 50	Greater than Saturation / 4 HR	Inhalation	Rat
	LD 50	>2000 mg/kg	Dermal	Rabbit

ECOLOGICAL INFORMATION

Environmental Fate: When released into the soil, this material is not expected to evaporate significantly. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released into water, this material is not expected to evaporate significantly. When released into water, this material may biodegrade to a moderate extent. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to have the half-life of less than one day.

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

DOT:Paint Related Material, 3, UN1263, PG III

IATA:Paint Related Material, 3, UN1263, PG III



SDS

GHS Safety Data Sheet Quill Hair & Ferrule LTD

Q-SOLV CD 4412 REDUCER

MSDS Number: S0017 Revision Date: 4/22/2015

Page 5 of 5

MULTI-MODAL: Paint Related Material, 3, UN1263, PG III



REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Stoddard solvent (8052-41-3 100%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

OTHER INFORMATION

Quill Hair & Ferrule LTD believes that the data contained herein is accurate and derived from qualified sources. The data is not to be taken as a warranty or representation for which Quill Hair & Ferrule LTD assumes legal responsibility. It is offered solely for your consideration, investigation, and verification. Any use of this data and information should be determined by the end user in accordance with Federal, State and local laws and regulations.